


# LED PROFILE VARIO30-02 ACDE-9/TY 1000 ANOD.



Surface



Lighting



- part of a larger system for luminaire construction
- multiple installation methods
- continuous line of light in angled connections
- unlimited possibilities for light creation



EU industrial designs






CE



Made in Poland



Buy product



2\*  
end cap D9  
zaślepka D9

3\*  
end cap E9  
zaślepka E9

4\*  
LED clamp VARIO30  
docisk LED VARIO30

5\*  
LED clamp VARIO30-1  
docisk LED VARIO30-1

6\*  
LED mounting VARIO30  
mocowanie LED VARIO30

TOPMET LIGHT KŁOSOWICZ WIŚNIEWSKI sp. z o.o.

Ostrowska 354 | 61-312 Poznań | POLAND

tel.: +48 61 872 75 00

info@topmet.pl

pdf card generation date: 10.03.2025






## Basic Informations

<p>EAN: 5901597241263 Index: V3050020 Material: aluminium Color: anodized Length [mm]: 1000 Weight [kg]: 0.377 Net weight [kg]: 0.024 Country of origin: PL</p>	<p>Measurement unit: qty Product packaging dimensions [mm]: 1000 x 33,4 x 29,6 Bulk packing [qty]: 20 Master packaging type: Bulk Product with gross packaging weight [kg]: 7.54</p>
---	--

## AVAILABLE COLORS






## AVAILABLE VARIANTS

1000 mm, 2000 mm, 3000 mm, 4050 mm

## Matching elements

## DIFFUSERS



TOPMET LIGHT KŁOSOWICZ WIŚNIEWSKI sp. z o.o.



Ostrowska 354 | 61-312 Poznań | POLAND

tel.: +48 61 872 75 00


info@topmet.pl

pdf card generation date: 10.03.2025








## MOUNTINGS







## END CAPS



## CONNECTORS

 <p><b>connector T 180deg</b> /plastic bag index: C6990000</p>	 <p><b>connector VARIO30-02</b> <b>60deg anod. /plastic bag</b> index: V4660020S</p>	 <p><b>connector VARIO30-02</b> <b>90deg anod. /plastic bag</b> index: V4670020S</p>
 <p><b>connector VARIO30-02</b> <b>90deg bent anod.</b> /plastic bag index: V4680020S</p>	 <p><b>connector VARIO30-02</b> <b>120deg anod. /plastic bag</b> index: V4690020S</p>	 <p><b>connector VARIO30-02</b> <b>135deg anod. /plastic bag</b> index: V4700020S</p>
 <p><b>connector VARIO30-02</b> <b>270deg bent anod.</b> /plastic bag index: V4710020S</p>	 <p><b>connector VARIO30-0203</b> <b>180deg /plastic bag</b> index: V4640000S</p>	 <p><b>connector T 180deg</b> /plastic bag [200pcs] index: C6990000W</p>

## COMPLEMENTARY PROFILE

 <p><b>power supply profile</b> <b>VARIO30-08 1000 anod.</b> index: V3290020</p>	 <p><b>power supply profile</b> <b>VARIO30-08 1000 raw alu.</b> index: V3290000</p>	 <p><b>power supply profile</b> <b>VARIO30-08 1000 black anod. /plastic bag</b> index: V3290021</p>
 <p><b>power supply profile</b> <b>VARIO30-08 1000 white painted /plastic bag</b> index: V3290001</p>		